

DEVILBISS®
AUTOMOTIVE REFINISHING



PRODUCT CATALOG

TABLE OF CONTENTS

DV1 SPRAY GUNS	3-4
PROLITE GUNS	5
GPG/FLG/SLG GUNS	6
TRU-CLEAN GUN CLEANER UNIT, TRU-CURE UV-LED	7
TRU-CURE PORTABLE INFRARED UNITS	8
RESPIRATORS & BREATHABLE AIR	9
DISPOSABLE CUPS AND ACCESSORIES	10-13
GRAVITY, SUCTION & PRESSURE FEED CUPS	14
PRESSURE TANKS, LINERS & ACCESSORIES	15
AIR DRYING	16 -17
AIR FILTRATION	18-19
AIR REGULATORS, VALVES & GAUGES	20
HOSE & HOSE FITTINGS	21-22
CLEAN PRODUCTS	23-24
ACCESSORIES	25-27

ENGINEERING MEETS ARTISTRY

A New Generation of Spray Guns



Features & Benefits

- Transfer Efficiency
- Superior Atomization
- Less Mottling
- Balanced Spray Pattern
- Stabilized Air Distribution
- Consistent Performance
- Optimal Color Match
- Easy To Maintain
- Innovative Fluid Tip

DV1 Guns & DV1s Gun - 3 Gun Bundle

Part Number 704703 3-Gun Bundle Includes:

Gun	Air Caps
DV1 Base Coat Gun (P/N 704504)	1.2, 1.3, 1.4 HVLP B+ Air Cap
DV1 Clear Coat Gun (P/N 704521)	1.2, 1.3, 1.4 C1+ & C2+ Air Caps
DV1s Spot Repair Gun (P/N 704532)	1.0, 1.2 S1+ HVLP Air Cap

Part Number 704702 3-Gun Bundle Includes:

Gun	Air Caps
DV1 Base Coat Gun (P/N 704504)	1.2, 1.3, 1.4 HVLP B+ Air Cap
DV1 Clear Coat Gun (P/N 704521)	1.2, 1.3, 1.4 C1+ & C2+ Air Caps
GPG Primer Gun (cupped) (P/N 905026)	1.4, 1.6 PR10 and PR30 Air Cap

DV1 SPRAY GUNS



Includes:

- DV1-B PLUS (HVLP) air cap
- Multiple fluid tips
- Premium digital gauge
- Tool kit
- DPC-43 DeKups adapter

Order No.	Fluid Tips	Guns	Air Cap
704504	1.2, 1.3 & 1.4mm	Digital DGI PRO Air Gauge, DPC Adapter	DV1-B+ HVLP PLUS
704528	1.4mm	Digital DGI PRO Air Gauge, DPC Adapter	DV1-1+A HVLP



Includes:

- DV1-C1 & DV1-C2 PLUS HVLP air caps
- Multiple fluid tips
- Premium digital gauge
- Tool kit
- DPC-43 DeKups adapter

Order No.	Fluid Tips	Accessories	Air Cap
704521	1.2, 1.3 & 1.4mm	Digital DGI PRO Air Gauge, DPC Adapter	DVI-C1+ HVLP PLUS, DV1-C2+ HVLP PLUS



Includes:

- DV1-M1, DV1-S1 Plus HVLP and DV1-S2 air caps
- Multiple fluid tips
- Premium digital Gauge
- Tool kit

Order No.	Description	Air Cap	Tip(s)	Cup Type
704531	DV1s M1 HVLP Gravity Gun Kit	DV1-M1	0.7, 0.9	125mL, Acetyl Cup
704532	DV1s S1 HVLP Gravity Gun Kit	DV1-S1	1.0, 1.2	125mL, Acetyl Cup
704533	DV1s S2 HVLP Gravity Gun Kit	DV1-S2	1.0, 1.2	125mL, Acetyl Cup

Features & Benefits

- Lightweight design
- Uniform pattern & atomization
- Exceptional finish quality
- Range of air caps for water & solvent materials
- Ergonomic handle design
- Built to last

Basecoat/Clearcoat Gravity



Repair Gravity



Suction/Pressure



PROLite
Basecoat/Clearcoat Gravity

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge
905038	PROLite Gravity HVLP Gun Kit	HV30	1.2mm, 1.3mm	-	HAV-555
905039	PROLite Gravity HVLP Gun Kit	HV30	1.3mm, 1.4mm	-	HAV-555
905040	PROLite Gravity HVLP Gun Kit	HV30	1.2mm, 1.3mm	900ml, Aluminum	HAV-555
905041	PROLite Gravity HVLP Gun Kit	HV30	1.3mm, 1.4mm	900ml, Aluminum	HAV-555
905042	PROLite Gravity HVLP & High Efficiency Gun Kit	TE20 & HV30	1.3mm, 1.4mm, 1.5mm	-	HAV-555
905043	PROLite Gravity High Efficiency Gun Kit	TE10 & TE20	1.2mm, 1.3mm, 1.4mm	900ml, Aluminum	HAV-555
905044	PROLite Gravity High Efficiency Gun Kit	TE10 & TE20	1.2mm, 1.3mm, 1.4mm	-	HAV-555
905045	PROLite Gravity High Efficiency & HVLP Gun Kit	TE25 & HV30	1.2mm, 1.3mm, 1.4mm	-	HAV-555



PROLite
Repair Gravity

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup
905081	PROLite-S Gravity HVLP & High Efficiency Micro Gun Kit	MC1, HV5	0.6mm	125mL, Acetal
905082	PROLite-S Gravity HVLP & High Efficiency Kit	HV5, TE5	1.0mm	125mL, Acetal



PROLite
Suction/Pressure

Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge
905125	PROLite Pressure Conventional Gun Kit	C797	1.4mm	-	-
905123	PROLITE SUCTION (C30, 1.8, UNCUPPED)		1.8mm	-	-
905128	PROLite Pressure High Efficiency Gun Kit	TE40	1.2mm	-	-
905131	PROLite Pressure HVLP & High Efficiency Gun Kit	TE40/HV40	1.0mm, 1.4mm,	-	HAV-501
905132	PROLite Pressure HVLP & High Efficiency Gun Kit	TE40/HV40	1.0mm, 1.2mm, 1.4mm	-	HAV-501
905135	PROLITE SUCTION (GPG2, 2.0, 2.2, CUPPED)	GPG2	2.0mm, 2.2mm	Black UV	-
905139	ROLITE SUCTION (TE10, 1.6, 1.8, CUPPED)	TE10	1.6mm, 1.8mm	Black UV	-

GPG/FLG/SLG GUNS

GPG™



Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge
905016	GPG GRAVITY HVLP Gun Kit	GPG2	1.3mm, 1.4mm, 1.5mm	900mL, Aluminum	HAV-501
905012	GPG GRAVITY HVLP Gun Kit	GPG2	1.3mm, 1.5mm, 1.8mm	900mL, Aluminum	HAV-501
905013	GPG GRAVITY HVLP Gun Kit	GPG2	1.3mm, 1.5mm, 1.8mm	560ml, Acetal	HAV-501
905014	GPG GRAVITY High Efficiency Gun Kit	GPG2	1.8mm, 2.2mm	560ml, Acetal	-
905015	GPG GRAVITY High Efficiency Gun Kit	7E7	1.2mm, 1.3mm, 1.4mm	900mL, Aluminum	HAV-501
905019	GPG GRAVITY High Efficiency Gun Kit	7E7	1.3mm, 1.4mm	-	HAV-555
905020	GPG GRAVITY High Efficiency Gun Kit	7E7	1.3mm, 1.4mm	900mL, Aluminum	HAV-555
905021	GPG GRAVITY High Efficiency Gun Kit	7E7	1.2mm, 1.3mm	-	HAV-555
905022	GPG GRAVITY High Efficiency Gun Kit	7E7	1.2mm, 1.3mm	900mL, Aluminum	HAV-555
905026	GPG GRAVITY HVLP & High Efficiency Gun Kit	PR10 & PR30	1.4mm, 1.6mm	900mL, Aluminum	-
905027	GPG GRAVITY HVLP & High Efficiency Gun Kit	PR10 & PR 30	1.8mm, 2.0mm	900mL, Aluminum	-
905028	GPG GRAVITY HVLP & High Efficiency Gun Kit	PR10 & PR 30	2.5mm	900mL, Aluminum	-
905036	GPG GRAVITY HVLP & High Efficiency UV Primer Gun Kit	PR10 & PR 30	UV1, UV2	560mL, UV Cup	-

Features & Benefits

- Rugged forged aluminum
- Robust & smooth air valve design
- Suitable for primers, waterborne & UV materials
- DeVilbiss atomization quality
- High flow fluid nozzles



FLG™

Pressure



Gravity



Top Assembly Part Numbers

Part Number	Description	Air Cap	Nozzle Size	Material Cup	Gauge	Material Feed
905161	FLG Pressure HVLP Gun Kit	FLG-693	1.4mm, 1.8mm	-	HAV-501	Pressure
905162	FLG Pressure HVLP Gun Kit	KB-555 2 QT	1.4mm, 1.8mm	KB-555 2QT	-	Pressure
905163	FLG Gravity HVLP Gun Kit	FLG-693	1.3mm, 1.4mm, 1.8mm	900ml, Aluminum	HAV-501	Gravity
905165	FLG Gravity HVLP Gun Kit	FLG-693	1.8mm, 2.0mm	900ml, Aluminum	-	Gravity

Features & Benefits

- Balanced, ergonomic handle
- Smooth action trigger
- Efficient atomization
- Flexible set-up options
- Full control for pattern shape



SLG™



Top Assembly Part Numbers

Order No.	Kit	Guns Included	Fluid Tip (mm)	Cup(s) Included	Accessories Included
802342	2-Gun Painting & Touch Up	Finish Coat Detail	1.3 1.0 1.8	One 600cc (20 oz.) One 250cc (8.5 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802343	2-Gun Painting & Priming	Finish Coat Primer	1.3 1.5 1.8	Two 600cc (20 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802789	3-Gun Painting	Finish Coat Primer Detail	1.3 1.8 1.0	Two 600cc (20 oz.) One 130cc (4 oz.)	Cleaning brushes, wrench, air adjusting valve with gauge
802405	Detail Gun only		1.0	One 250cc (8.5 oz.)	None

Features & Benefits

- Balanced, ergonomic handle
- Smooth action trigger
- Efficient atomization
- Flexible set-up options
- Full control for pattern shape

TRU-CLEAN GUN CLEANER UNIT



TRUClean™
GCS

TRUClean™
GCC

Features & Benefits: GCS and GCC

- Five-nozzle wash bay for powerful and efficient
- Robust & serviceable cleaning nozzle design
 - Easy-to-service with quick release mechanism
- Strong ventilation when lid is open keeps operators safe and paint kitchen free of VOC's
- Stainless Steel Washing Bay Construction
- High flow pump for effective cleaning
- Non-inverted cup mount
- Center mount exhaust port/vent
- GCC Fits 4 drums of cleaning media - 2 for recirculation, 2 for final clean rinse



TRISK | DEVILBISS

Quickly, safely, and efficiently cleans spray guns & application components with either waterborne or solvent-based cleaning media

Technical Specifications

	GCS Single	GCC Combo
Weight	30 kg (66 lbs.)	35 kg (77 lbs.)
Height	1120 mm (44.1")	1120 mm (44.1")
Width	582 mm (22.9")	1120 mm (44.1")
Depth	385 mm (15.2")	385 mm (15.2")
Air Consumption - Auto Cycle	<100 l/min (<3.5 cfm)	<100 l/min (<3.5 cfm)
Air Consumption - Manual Cleaning	210 l/min (7.4 cfm)	370 l/min (14 cfm)
Avg. Ventilation Air Speed	0.8 m/sec (160 ft/min)	0.8 m/sec (160 ft/min)
Extraction Capacity	10m (33ft) extr. duct 290m3/h (171cfm)	10m (33ft) extr. duct 290m3/h (171 cfm)
Air Supply	6 bar (87 psi)	6 bar (87 psi)
Drum Size	Up to 25L (6.6 gal) (depending on drum dimension)	Up to 20L (5.3 gal)
Flushing Media Types	Solvent-Based or Waterborne	Solvent and Waterborne
Part #	TC-GC-01	TC-GC-11
Order #	904200	904201

Technical Specifications

	UV-LED	Battery
Battery Type	-	Lithium-ion
Voltage	18.5 VDC	18.5 VDC
Max. Current	-	10 A
Power	100 W	37 Wh / 2 Ah
Weight	1.2 kg (2.6lbs)	0.45 kg (0.99lbs)
Operating Temp.	0 - +35°C (0 - +95°F)	0 - +35°C (0 - +95°F)
Storage Temp.	-20 - +70°C (-20 - +158°F)	-20 - +45°C * (-20 - +158°F)
Charging Temp.	-	+5 - 40°C (+5 - 104°F)
Wavelength Peak	395 nm	-
Degree of Protection	IP 4X	IP 2X
Part #	TC-UV-01	-
Order #	904000	-

Curing Intensity at 100mm

Peak	160mW/cm²
Minimum at 20mm diameter	120mW/cm²



TRUCure™
UV-LED



Quickly cure any 395nm UV primer, putty, or clearcoat

Features & Benefits

- Handle is made from glass-reinforced polymer for strong yet lightweight design
- Molded handle is comfortable, balanced, and ergonomic
- Includes replaceable air filter, increasing the life of high cost LED and board components
- Product is shipped in custom foam molded hard case for storage, with space for extra battery
- Packaging includes battery, charger, LED unit, spare filter, and UV protective eyewear

TRU-CURE PORTABLE INFRARED UNITS



Complete Infrared curing range covers everything from spot repairs to hoods, roofs, and doors

Features & Benefits

- Long-life IR lamps
- Customizable timing of both full curing and flash off periods
- Easy to properly position lamps with laser guided pyrometer displaying surface temperature readout
- Stand and unit are sized to cure higher surfaces such as hood and roof
- Upgraded gas piston with long life seals precisely controls set point of upper arm
- IR3S and IR3L contain both dual and single lamp cassettes for easy adjustment and flexibility around curved parts without sacrifice to heat distribution



TRU-Cure
IR2S™



TRU-Cure
IR3S™



TRU-Cure
IR3LT™



TRU-Cure
IR6LT™

Technical Specifications

	IR2S	IR3S	IR3L	IR3LT	IR6LT
Weight	19kg (41.9 lbs.)	23kg (50.7 lbs)	47kg (103.6 lbs.)	47kg (103.6 lbs.)	63kg (138.9 lbs)
Height	1480mm (58.3")	1630mm (64.2")	2600mm (102.4")	2600mm (102.4")	2850mm (112.2")
Width	607mm (23.9")	607mm (23.9")	870mm (34.3")	870mm (34.3")	990mm (39.0")
Depth	750mm (29.5")	750mm (29.5")	1950mm (76.8")	1950mm (76.8")	1800mm (70.9")
Rated Voltage	220-240 V, 50/60Hz Single Phase, 2000W	220-240V, 50/60Hz Single Phase, 3000W	220-240V, 50/60Hz Single Phase, 3000W	220-240 V, 50/60Hz Single Phase, 3000W	220-240 V (NA), 380-420 V (UK) 50/60Hz, 1 Phase (NA), 3 Phase (UK) 6200W
Heating Elements	2 quartz, IR short wave emitters	3 quartz, IR short wave emitters	3 quartz, IR short wave emitters	3 quartz, IR with pyrometer	6 quartz, IR with pyrometer
Fuse	16A slow, type C (UK 13A) (NA 20A)	16A slow, type C (UK 13A) (NA 20A)	16A slow, type C (UK 13A) (NA 20A)	16A slow, type C (UK 13A) (NA 20A)	30A (NA), 16A (UK)
Max Temperature - Operation	40°C (104°F)	40°C (104°F)	40°C (104°F)	40°C (104°F)	40°C (104°F)
Max Temperature - Storage	70°C (158°F)	70°C (158°F)	70°C (158°F)	70°C (158°F)	70°C (158°F)
Part Number	TC-IR2S-01	TC-IR3S-01	TC-IR3L-01	TC-IR3LT-01	TC-IR6LT-01
Order Number	904100	904103	904106	904109	904112

Breathable Air Systems

Breathable Air Filtration

Order No.	Model No.	Description	Removes Dirt to 5 Micron	Removes Liquid Water	Removes Oil Aerosols	Removes Humidity	Removes Odor
130089	DAD-503	3-stage filtration with dessicant air dryer system	Yes	Yes	Yes	Yes	Yes
130087	HAF-601	3-stage filtration system	Yes	Yes	Yes	No	Yes
130096	DAD-504	Desiccant retrofit system	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500 or HAF-518	Yes, when used with DAD-500 or HAF- 518	Yes, when used with DAD-500	Yes



DeMASK™



OV/N95 Reusable Multi-Purpose Respirator

Part Number	Order Number	Description
40-362	310000	DeMask Half Mask Resp OV/N95 Md/Lg
40-365-K2	310001	DeMask Half Mask OV/N95 Cartridge - 2 pk
40-366-K10	310002	DeMask Half Mask Pre-Filter - 10pk
40-365-K2-10	310003	DeMask Half Mask OV/N95 Cartridge - 10 pk of 2
40-366-K10-10	310004	DeMask Half Mask Pre-Filter - 10 pk of 10



High Performance and Superior Comfort

- Provides minimum 95% efficiency against most organic vapors
- Low-profile design fits under safety glasses and face shields
- Rolled sealing flange provides superior comfort and improved fitment
- Large inhalation/exhalation valves allow for maximum airflow in and out of mask
- Adjustable design fits almost all users with one size





DeKups® Disposables and Reusables

The Ultimate in Productivity

Saves Time and Money

- Better fluid flow for great color match
- Positive locking gun connection
- Refill without opening the cup
- Self-dispensing packaging
- Larger capacity cups

Order No.	Model No.	Description
802102	DPC-602	9 fl. oz./265 ml Disposable cup/lid (32)
802101	DPC-601	24 fl. oz./710 ml Disposable cup/lid (32)
802100	DPC-600	34 fl. oz./1000 ml Disposable cup/lid (32)
802972	DPC-607	9 fl. oz./265 ml Reusable sleeve/lid (2)
802759	DPC-606	24 fl. oz./710 ml Reusable sleeve/lid (2)
802973	DPC-608	34 fl. oz./1000 ml Reusable sleeve/lid (2)
803474	DPC-524	24 fl. oz./ 34 fl. oz. Disposable lid (32)
803889	DPC-509	9 fl. oz./265 ml Disposable lid (32)



DeKups® Demo Kit

Order No. Model No.
803130 DPC-654

Demo Kit

DPC-43 Adapter (1), 24 oz. Reusable Sleeve & Lid (1), 24 oz. Disposable Cups & Lids (8), Plugs (5), Disk Filter 125 Micron (4), Disk Filter 200 Micron (4), Barrel Filter 300 Micron (1), Funnel (1), Measuring Guide (1), How-to-Use Guide



DeKups® Shop Start Up Kit

Get Started with DeKups Today!

- Anti-static disposables
- Contains the perfect amount for several jobs
- Better fluid flow for greater color match
- Positive locking gun connection
- Anti-static cups for improved metallic distribution
- Larger capacity cups

Order No. Model No.
802371 DPC-650

Shop Start Up Kit

24 oz. Reusable Sleeve & Lid (6), 9 oz. Reusable Sleeve & Lid (2), 24 oz. Disposable Cups & Lids (32), 9 oz. Disposable Cups & Lids (32), 24/34 oz. Disk Filter 125 Micron (12), 9 oz. Disk Filter 125 Micron (12), 24/34 oz. Disk Filter 200 Micron (12), 9 oz. Disk Filter 200 Micron (12), Barrel Filter 300 Micron (10), Funnel (24), 3 oz. Disposable Cups (3), Cleaning Brush, Cleaning Bottle, Magnets (5), How-to-Use Guide, Plugs (20)






3 oz. Disposable Cup

- Simple and affordable solution for spot repair and spraying at mobile repair locations
- Vented cup design provides consistent fluid flow for better color match and a better quality finish
- Easy and secure fit over DeKups® adapters

Order No. Model No.
803510 DPC-503-K24
(Kit of 24 cups & lids)



DeKups® All-in-One Kit

All-In-One Kit

Boxes of Lids (64), 2 Boxes of Liners (64), 3 Sleeves of Filters in 125 or 200 Microns (72), 2 Packs of Storage Plugs (20), Reusable Sleeve & Lid (1), Measuring Guide (1)

Package Part Number	Linear Size Oz.	Linear Qty (64)	Lid Qty (64)	1 Reusable Sleeve/Lid	Disk Filters Size/Qty (72)	Storage Plugs (20)	Qty Per Pallet
DPC-34-125-K64	34 Oz.	2 Boxes of (32)	2 Boxes of (32)	1	125 Micron - 3 Packs of 24	2 Packs of 10	18 Kits
DPC-34-200-K64	34 Oz.	2 Boxes of (32)	2 Boxes of (32)	1	200 Micron - 3 Packs of 24	2 Packs of 10	18 Kits
DPC-24-125-K64	24 Oz.	2 Boxes of (32)	2 Boxes of (32)	1	125 Micron - 3 Packs of 24	2 Packs of 10	18 Kits
DPC-24-200-K64	24 Oz.	2 Boxes of (32)	2 Boxes of (32)	1	200 Micron - 3 Packs of 24	2 Packs of 10	18 Kits
DPC-09-125-K64	9 Oz.	2 Boxes of (32)	2 Boxes of (32)	1	125 Micron - 3 Packs of 24	2 Packs of 10	30 Kits
DPC-09-200-K64	9 Oz.	2 Boxes of (32)	2 Boxes of (32)	1	200 Micron - 3 Packs of 24	2 Packs of 10	30 Kits



Using the *SNAP N FLOW™* disposable cup system makes automotive refinishing jobs easier, faster and more efficient. The system:

- Requires fewer steps
- Improves color matching
- Minimizes paint usage
- Creates less mess and quicker cleanup
- Provides easy paint storage options
- Offers greater savings on materials and time

SNAP N FLOW™ COMPONENTS

Description	Model Number	Order Number
Demo Kits		
125 Micron Demo Kit	SNF-601	803828
200 Micron Demo Kit	SNF-602	803887
Small Jobs		
15 oz. Disposable Mixing Cup (100)	SNF-15-K100	804523
15 oz. 125 Micron Lid (48)	SNF-431-K48	804524
15 oz. 200 Micron Lid (48)	SNF-432-K48	804525
15 oz. Flat Storage (50)	SNF-22-K50	804526
Large Jobs		
32 oz. Disposable Mixing Cup (100)	SNF-32-K100	803767
32 oz. 125 Micron Lid (48)	SNF-421-K48	803761
32 oz. 200 Micron Lid (48)	SNF-422-K48	803762
32 oz. Flat Storage (50)	SNF-8-K50	803769



DISPOSABLE CUP SYSTEM ACCESSORIES

SNAP N FLOW™
by DeVilbiss



Simple System

Provides a more intuitive, familiar method of mixing and spraying paint

SNAP N FLOW™ significantly reduces the number of components (and steps) needed to complete a job.



- A** The unique chambered lid and venting tube design maximizes fluid flow to the spray gun. Lid sizing is optimized to 15 and 32 ounces - for small and large jobs. Lids with integrated filters are available in 125- or 200-micron sizes.
- B** The 15- and 32-ounce *SNAP N FLOW™* mixing cups are industry-standard sized and feature flat bottoms for easy stirring.
- C** The easy-connect adapter securely attaches the gravity spray gun to the *SNAP N FLOW™* lid. Adapters are available to fit a majority of gravity guns from major gun manufacturers.

- D** The sturdy flat lids are used when paints need to be mixed on the shaker. These flat lids are also used for longer-term paint storage.
- E** A shaker adapter is used with the flat lid for shaker mixing.
- F** Special *SNAP N FLOW™* plugs snap on the cone-shaped lids. The unique design allows the cup and vented lid system to be stored upside down — keeping the filter wet during paint storage.

Description	Model Number	Order Number
Accessories		
Plugs (8)	SNF-9-K8	804333
Shaker Ring Kit	SNF-21-K2	804515
Adapters		
DeVilbiss, Binks, Sharpe	SNF-43	803750
DeVilbiss SRI, Binks Cub	SNF-23	803747
FinishLine G2, G3, G4	SNF-31	803749
StartingLine	SNF-64	803751
DV1s & PROLites	SNF-23	803747
StartingLine, Sharpe Finex	SNF-81	803753
3M	SNF-500	803754
Acuspray	SNF-26	803748
Acuspray 2.0 Disposable Head	SNF-87	804518
Acuspray DispHd	SNF-85	803857
Iwata SuperNova, W300	SNF-78	803752
Sagola	SNF-13	803746
Sata Full QCC and Threaded	SNF-504	803852
Sata Minis QCC and Threaded	SNF-502	803756
Sata NR2000 & RP	SNF-10	803744
Sata NR95, Iwata	SNF-11	8033745

DISPOSABLE CUP SYSTEM ACCESSORIES

DeKUPS
by DeVilbiss

DeKups® Adapters

802200 / DPC-43

Adapter
(DeVilbiss, GPG, ProLite, FLG, DV1, TEKNA, CVI, PLUS, GTI, PRI, JGA, Binks M1G, Sharpe Cobalt, Platinum & Titanium)



802201 / DPC-26

Adapter
(Accuspray Issac)



803856 / DPC-85

Adapter
(Accuspray Disposable Head Spray Gun)



802205 / DPC-13

Adapter
(Sagola)



802203 / DPC-10

Adapter
(SATA® NR 2000, RP, KLC, MCB & Jet 90 series,)



802204 / DPC-11

Adapter
(SATA® NR95 & 92, Iwata LPH-400 & W400LV, Astro GF14, 17 & 20S, Finex FX 200 & FX 300)



802206 / DPC-23

Adapter
(DeVilbiss DV1S, ProLiteS, SRI, SRIW, SRIPro, Binks Cub)



802340 / DPC-500

Conversion
Adapter



802955 / DPC-64

Adapter
(StartingLine touch-up gun)



803120 / DPC-69-K1

Suction
Conversion Kit



803850 / DPC-504

Adapter
(SATA® QCC full size)



803314 / DPC-78

Adapter
(Iwata SuperNova AirGuns, LPN300, W300)



803420 / DPC-81

Adapter
(StartingLine full-size gun, Sharpe Finex 1000, 2000, 3000)



803238 / DPC-502

Adapter Kit
(SATA® Minis, QCC & threaded)



804473 / DPC-86-K1

Adapter Kit
(Iwata LPH80)



U.S. PATENT NOS. 7,380,680; 7,354,074; 7,353,964; 7,350,418; 7,344,040; 7,263,893; 7,165,732; 7,086,549

DeKUPS
by DeVilbiss

DeKups® Accessories

802976

DPC-42-K24
24 oz./34 oz.
Disk filter
(125 micron)
(24) White frame/
White mesh



802977

DPC-65-K24
9 oz. Disk filter
(125 micron) (24) White
frame/White mesh



802950/ DPC-59-K10

24 oz. Universal
measuring guide (10)

802951 / DPC-60-K10

9 oz. Universal
measuring guide (10)

802952 / DPC-61-K10

34 oz. Universal
measuring guide (10)



802978

DPC-66-K24
24 oz./34 oz.
Disk filter
(200 micron)
(24) Black frame/
White mesh



802979

DPC-67-K24
9 oz. Disk filter
(200 micron)
(24) Black frame/
White mesh



802106

DPC-14-K10
Coarse filter
(600 micron)
Thick paint (10)



802107

DPC-17-K10
Fine filter (300 micron)
Colors/clears (10)



802108

DPC-27-K10
Very fine filter
(200 micron)
Pearls (10)



802334 / BXX-1279

Filters & plugs
storage case



192316

DPC-8
Cleaning bottle



802212

DPC-44
Cleaning brush



802109

DPC-22-K24
Disposable
funnel (24)



802213

DPC-6-K10
Storage plugs (10)



802185

DPC-5001
Magnet Assembly



GRAVITY, SUCTION & PRESSURE FEED CUPS

Cups to Fit DeVilbiss, Binks, FinishLine, and TEKNA Gravity Spray Guns

Order No.	Model No.	Cup Size	Application
190252	GFC-501	20 oz. Acetal	All full size current DeVilbiss, TEKNA, Binks and FinishLine gravity guns
901430	81-381	8 oz. Aluminum	DeVilbiss DV1S, ProLite S, SRi, SRiW, SRiPro, and Binks Cub gravity guns
900875	54-4458	4 oz. Aluminum	DeVilbiss DV1S, ProLite S, SRi, SRiW, SRiPro, and Binks Cub gravity guns
905311	905311	4 oz. Acetal	Acetal Gravity Cup
702576	702576	900cc Aluminum	All full-size current DeVilbiss, TEKNA, Binks and FinishLine gravity guns
803510	DPC-503-K24	3 oz. Plastic	Fits on all DPC adapters
905204	905204	20 oz.	Black UV Gravity Cup Kit
905205	905205	1 pint	Acetal Gravity Cup



GFC-501



81-381



54-4458



702576



DPC-503-K24



905204



905205

Cups to Fit StartingLine Gravity Feed Cups

Order No.	Cup Size	Application
803610	600cc Aluminum	StartingLine Finish Coat and Primer gravity guns
803609	250cc Aluminum	StartingLine Detail gravity guns
803591	600cc Aluminum	Push-in lids (2)
803590	250cc Aluminum	Push-in lids (2)



803610



803609



803590



803591

Suction Feed Cups

- Patented drip-free design
- One-quart plus capacity (37 oz)

DeVilbiss Suction Feed Cups

Order No.	Model No.	Cup Size	Application
120011	TGC-545	1 qt. Aluminum	All full size current Binks, DeVilbiss and FinishLine suction guns
905353	905353	2 qt.	All full size current Binks, DeVilbiss and FinishLine suction guns



KBII Pressure Cup & Liner Kit

- Comfortable to carry
- Easy clean ups with disposable liners

Order No.	Model No.	Capacity	Regulation
120033	KB-555	2 qt.	Yes
192025	KK-5051	EZ Liner Kit for KBII, qty. 20	



PRESSURE TANKS, LINERS & ACCESSORIES

Heavy-Duty Pressure Tanks

- 9.8 Gal. A.S.M.E. Code Pressure Tank
 - Quick, efficient cleanup with anti-stat liners
 - Holds a 5-gallon pail
- 2.7 Gal. A.S.M.E Code Pressure Tank
 - Available in single and double
 - Quick, efficient cleanup with anti-stat liners



Order No.	Model No.	Capacity	Regulation	¾ H.P. Air Driven Agitation Included
901558	83C-210	2.7 gal.	Single	No
901560	83C-220	2.7 gal.	Double	No
901561	83C-221	2.7 gal.	Double	Yes
930780	183G-520	9.8 gal.*	Double	No (available separately)

*183G-520 holds a 5-gallon pail



Pressure Tank Liners

Order No.	Model No.	Description
192143	PT-52	Tank Liner (order quantity 10)
192153	PT-52-K60	Tank Liner
191696	PTL-406-K20	Tank Liner



Tank Liner Selection Chart

Tank Liners			DEVILBISS Pressure Tanks				BINKS Pressure Tanks and Cups					
	Fits Tank Size	Case Qty.	All PT Series Tanks	QMG-5200 QMST-5200	QMG-5500 QMST-5500	QMG-51000 QMST-51000	83B, 83C	183G-500 83G-500	2 Qt. Cup Steadi-Grip	83-5600 83-15600	83-5500 83-15500	83-5400
DeVilbiss	PT-52	2.7 gal. 10	X	X			X					
	PT-52-K60	2.7 gal. 60	X	X			X					
	PTL-406-K20	9.8 gal. 20			X			X				
	PTL-410-K8	11.8 gal. 8				X						
Binks	80-356	2 qt. 12							X			
	83-2878	2 gal. 12								X		
	6-228-60	2 gal. 60								X		
	6-238-60	2 gal. 60									X	
	6-239	5 gal. 24										X

DeVilbiss PT-52 series tank liners also fit Binks 83B and 83C tank series

DeVilbiss PTL-406 series tank liners also fit Binks 83G-500 and 183G-500 tank series

Binks PTL-408 series tank liners also fit DeVilbiss QMG-5500 and QMST-5500 tank series



Accessories

192231
PTS-2GAL-K20-400
2.7 gal. strainer



130090
HGS-5242
Fluid regulator



192242
HAR-511
60 CFM fluid pressure tank regulator



191696
PTL-406-K20
9.8 gal tank liner



180073
VS-532
Filter assembly



180053
QMG-418
Agitator assy.



180042
JGA-444
Fluid tube



Dad-Pro™ Desiccant Air Drying System



Worry Free Air Filtration for Top-Quality Paint Jobs

- First stage filter removes oil, water and dirt down to 5 microns.
- Second stage coalescer removes oil vapors and dirt particles down to .01 microns.
- Desiccant tank removes water vapor and humidity down to a dew point of -40° F.
- Bagged desiccant and automatic drains for ease of maintenance.

Order No.	Description
130546	DAD-PRO Desiccant Air Drying System
130504	Replacement Desiccant Cartridge
130536	50 scfm 2-Stage Filter Assy with Regulator
130538	Replacement Water Separator Element
130539	Replacement Oil Coalescing Element
130544	Filter Mounting Bracket
130545	Float Drain Kit

Replaceable Desiccant Cartridge for Easy Maintenance



130536 130536
CAMAIR® 50 SCFM 2
STAGE & REG



Dad-500™ Desiccant Air Dryer System



Avoid Costly Redo's

- Properly maintained air filtration system eliminates moisture and dirt in air lines
- Install at point of use

Order No.	Model No.	Description
130026	DAD-500	3-stage desiccant air dryer system



Compare DeVilbiss filtered air vs. unfiltered air

DeVilbiss' DAD-500 filters out contaminants to .01 micron



Compare the humidity reading before and after filtering with DeVilbiss DAD-500



CT30 & CT30p Desiccant Cartridge Dryers



Easy Change Desiccant Air Dryer

- CT series desiccant air dryers remove water vapor from the compressed air down to a dew point of -40° F
- Quick change 10 lb. desiccant cartridge bag is made of a special fiber media which removes oil aerosols and solid particles down to 0.1 micron meaning no need for coalescing or final filters
- Install at point of use
- 30 CFM air flow capacity

Order No.	Description
130500	Desiccant Air Dryer wall mount
130501	Desiccant Air Dryer portable with stand
130504	Desiccant Cartridge



Camair Qc3 Filter and Dryer Unit



A Great Choice for Light Usage Such as Low Volume Shops, Restorers, Customizers, and Hobbyists

- Three-stage filtering with 0.1 micron rating produces clean, oil- and humidity-free air.
- High performance filtration with only 2 PSI pressure drop.
- Quick change filter cartridge is easy to maintain. Bowl removal tool included.
- Larger filter media and longer life desiccant than disposable dryers
- Install at point of use

Order No.	Description
130525	Desiccant Filter and Dryer Unit
130524	QC3 Filter and Desiccant Cartridge Replacement






Air Filtration/Regulation Systems

- Compact and effective—perfect for cramped shop spaces
- Removes dirt, water and oil from air lines to 0.01 micron—assures superior finishes
- Quick change bowls and air inlet valve accommodate rapid, trouble free maintenance without shutting off main shop air
- Combine 2-stage filter with the CT-30 desiccant dryer to create a CT Plus 5-stage filter system
- 65 SCFM @ 90 PSIG

130523
2-Stage w/Regulator



Order No.	Description
130523	2-stage filter unit with regulator

Automatic Drain With Y-Strainer Valve



Automatically Drains Water from Compressed Air Systems

Order No.	Description
130512	Automatic drain with Y-strainer valve

- Use with air compressors, water separators and at drop legs
- Adjustable interval time and drain time
- Removable filter for easy cleaning
- Includes electric timer, 1/4" Y-strainer valve with filter screen and 6 ft. power cord

CT Plus™ 5-Stage Filter System



Complete Compressed Air Treatment and Drying Center

Worry Free Air Filtration for Top Quality Paint Jobs

- First stage filter removes oil, water and dirt down to 40 micron
- Second stage coalescer removes oil vapors and dirt particles down to .01 micron
- CT30 desiccant tank repeats dirt and oil aerosol removal and removes humidity

Order No.	Description
130522	CT Plus 5-stage desiccant filter system
130517	Filter element, water (1st stage)
130518	Filter element, coalescing (2nd stage)
130504	DC30 desiccant cartridge

30 CFM Air Flow Capacity

- Longer desiccant life
- Air inlet valve shuts off CT Plus™ air without having to shut off shop air
- No tools needed to change first and second stage filters
- Easy change-out desiccant cartridge bag

Ergonomic, Self-Relieving Regulator



Clean Air™

Air Line Filters and Control Units

Air Filtration and Regulation Systems Remove Dirt, Oil Vapor, and Water from Air Lines

HAF-518 Quick Facts:

- 1st Stage 5 micron filter
- 2nd Stage .01 micron filter
- Easier maintenance comes with manual flexible drain

Order No.	Model No.	Description
130098	HAF-518	Two-stage filtration system, including centrifugal and coalescer w/ 60 CFM regulator
130041	13-0041	100 CFM air line filter
130042	13-0042	100 CFM air line filter w/ 60 CFM regulator

ACCESSORIES

130093 / HAR-600
60 CFM regulator w/gauge

190771 / HAF-18
Automatic drain



Whirlwind™ Disposable Air Filter

Order No.	Model No.	Description
130028	HAF-507	Whirlwind Filter (order qty. 12)

DeVilbiss Whirlwind: Longer Life and Less Pressure Drop

Patented Two-Stage Filter:

Stage 1- Swirl Chamber:
Removes large water droplets

Stage 2- Filter Media:
Removes smaller water droplets, oil droplets, and dirt particles



Can be used with all HVLP spray guns

All Other Competitive Filters:

- Water droplets saturate the filter media — shortening the life of the filter
- Smaller inlet surface area increases pressure drop

Finishline® Air Control Unit



FINISHLINE
by DeVilbiss

Includes:

- 5 micron particle filter
- Mounting bracket
- Regulator and gauge

The Value Leader

- Removes moisture and dirt
- Regulates air pressure

Order No.	Model No.	Description
130099	HAR-602	120 CFM air line filter w/ 50 CFM regulator
192315	HAF-39	120 CFM Filter element and gasket kit
803643	HAR-680	80 CFM air control unit with 50 CFM regulator
803641	HAF-47	80 CFM Filter element and gasket kit

ACCESSORIES

192314 / GA-375
Gauge for HAR-520 regulator

192315 / HAF-39
HAR-602 Element Kit

130100 / HAR-520
50 CFM regulator for HAR-602




AIR REGULATORS, VALVES & GAUGES

Air Regulators

For Precise Control of Air Delivery

Order No.	Model No.	Description
130516	130516	75 CFM air regulator, gauge and valve (regulator available separately as 130521)
130093	HAR-600	60 CFM air regulator, gauge and valve (regulator available separately as HAR-507)
192242	HAR-511	60 CFM air regulator — Flow through regulator for pressure tanks
130100	HAR-520	50 CFM air regulator - non-relieving (purchase GA-375 gauge separately)



Gun Mounted Air Adjusting Valves, Regulators, And Gauges

DGi Pro Pod Digital Gauge Specifications:

- Easily maintain consistent, accurate air pressure
- Easy-to-read, easy-to-adjust
- Displays working pressure to within 0.7 psi (0.05 bar) to optimize gun performance
- Mounts at eye-level for quick, easy checking
- Turns on automatically when the spray gun is triggered
- Smooth control for fast, accurate pressure adjustments
- Fully ATEX Approved – gun washer safe

Order No.	Model No.	Max. Inlet Pressure	Max. Reg. Pressure PSI	Air Inlet	Air Outlet
130015	HARG-510	175	100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
704307	704307	175	N/A	-	-
180005	HAV-500	175	N/A	1/4" NPS (M)	1/4" NPS (F) (Swivel)
180006	HAV-501	160	0–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
180089	HAV-511	160	0–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803236	HAV-512	100	0–100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
802419	HARG-555	160	100	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803289	DGI-101	160	2.5–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
803291	HAV-555	160	2.5–160	1/4" NPS (M)	1/4" NPS (F) (Swivel)
704427	704427	175	N/A	-	-



Hose

Premium Hose Helps Ensure Premium Paint Jobs

Smooth Cover — Spray and Air Tool Hose

Can be used for all kinds of air-operated equipment. Smooth brick-red cover, synthetic rubber compound tube with high tensile strength braid. Hose offers superior resistance to oil, weathering, ozone and abrasion. Can be used with reusable or permanent crimp connections. Maximum application temperature: 150°F

Nyliner II Fluid Hose

Ideal for use with a wide range of materials such as resins and solvents contained in latices, epoxies, urethanes, alkyds, primers, acrylics, ketone, MEK, acetone, polyesters, silicones, bitumastic coatings, oil and water-based paints, lacquers, latex coatings, toluene, turpentine, naphtha, and many other solvents. Tube is nylon; cover is black neoprene rubber; yarn reinforced. Can be used with permanent crimp or reusable connections. Maximum application temperature: 150°F



Air Hose Assemblies

Size I.D.	Hose Assy Order No. Model No.	Length of Hose (feet)	Bulk Hose#	Connection Thread Size	Type of Connection	Connection Nut & Nipple
5/16"	220002 HA-2125	25	H-1921	1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
5/16"	220004 HA-2150	50	H-1921	1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
3/8"	220049 HA-5825	25	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	220052 HA-5867	35	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	HC-4719 P-HC-4528
3/8"	220054 HA-5835	35	H-1958	1/4" NPS (F) Swivel	Three-Piece Reusable	240033 P-HC-4528
3/8"	220047 HA-5850	50	H-1958	1/4" NPS (F) Swivel"	Three-Piece Reusable	240033 P-HC-4528

HA-5867 HVLP Air Hose Assembly includes HC-4719 High Volume Air Quick Disconnect and HC-4419 Stem.

Fluid Hose Assemblies

Size I.D.	Hose Assy Order No. Model No.	Length of Hose (feet)	Bulk Hose#	Connection Thread Size	Type of Connection	Connection Nut & Nipple
3/8"	220008 HA-7325	25	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
3/8"	220040 HA-7335	35	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
3/8"	220045 HA-7350	50	H-1973-1	3/8" NPS (F)	Three-Piece Reusable	240035 P-HC-4548
1/4"	220055 HA-7535	35	H-1975-1	3/8" NPS (F)	Three-Piece Reusable	240034 P-HC-4543

Air/Fluid Hose Set (for use with KBII Cup)

Order No. Model No.	Length	Bulk Air Hose	Bulk Fluid Hose	Connection Thread Size	Type of Connection	Connection Nut & Nipple
220019 KB-4006	5' 9"	210002 H-1921		1/4" NPS (F) Swivel	Three-Piece Reusable	240032 P-HC-4527
	6' 3"		210007 H-1975-1	3/8" NPS (F)	Three-Piece Reusable	240034 P-HC-4543

Bulk Hose Chart

Type of Hose	Size I.D.	Size O.D.	Bulk Hose Model No.	Maximum Working Pressure (PSI)	Feet/Reel	(Order No.)
Smooth	1/4"	1/2"	H-1957	250	500	210003
Cover	5/16"	5/8"	H-1921	250	500	210002
Air	3/8"	11/16"	H-1958	250	500	210004
Nyliner II	1/4"	1/2"	H-1975-1	500	500	210007
Fluid	3/8"	11/16"	H-1973-1	500	500	210006

HOSE & HOSE FITTINGS

Hose Fittings

Designed to Optimize Air Flow for Top Spray Gun and Air Tool Performance

Reusable Connections

Hose Size and Type




Size I.D.	Size O.D.	Fits DeVilbiss Hose No.	(M) Male (F) Female Connection Thread Size	Straight Connections Female Complete Connection No.
1/4"	1/2"	H-1957 H-1975-1	1/4" NPS (F) 3/8" NPS (F)	P-HC-4523 P-HC-4543
5/16"	5/8"	H-1921	1/4" NPS (F) 1/4" NPS (M)	P-HC-4527 P-HC-4599
3/8"	11/16"	H-1973-1	1/4" NPS (F) 3/8" NPS (F) 1/4" NPT (M)	P-HC-4528 P-HC-4548 P-HC-4955

Quick Disconnects - High Flow Ball and Ring Lock Type

(For use with HVLP Spray Equipment)



Connection No.	Order No.	Thread Size
HC-4719 (A)	240147	1/4" NPT (M)
HC-4720 (B)	240148	1/4" NPT (F)
Stem Number	Order No.	Thread Size
HC-1166 (C)	240015	1/4" NPT (M)
HC-4419* (D)	240145	1/4" NPS (F)



*Designed for spray guns. Special cone seat prevents leaks!

Nipples (MBE) Male Both Ends



Part Number	Straight Type Male Thread	Male Thread
AD-31	1/4" NPS	1/4" NPS
H-2008	1/4" NPS	1/4" NPT
H-1446	3/8" NPS	3/8" NPS
AD-11	3/8" NPS	3/8" NPT

Adapters



Part Number	Straight Type Male Thread	Female Thread
AD-404	1/4" NPS	3/8" NPS
P-H-4105	3/8" NPS	1/4" NPS

Valves - Ball Type




Part Number	Thread
VA-540	3/8" NPS (M) x 3/8" NPT (M)
VA-542	1/4" NPS (M) x 1/4" NPT (M)
VA-595	1/2" NPT (M) x 1/2" NPT (M)

Coupler



Part Number	Thread
SSP-69	1/4" x 1/4" NPT (F)



NPT = tapered
NPS = straight

(M) = Male
(F) = Female

Whenever possible, match straight threads with straight threads and tapered with tapered. Otherwise, leakage may occur.

Special
Cone Seat
Prevents Leaks!



DeVilbiss® Reusable Coverall

Order No.	Size
803596	Medium
803597	Large
803598	XL
803599	3XL



DeVilbiss® Disposable Coverall

Order No.	Size
803671	Medium
803672	Large
803673	XL
803674	3XL



DeVilbiss® Hooded Lab Coat

Order No.	Size
803664	Medium
803665	Large
803666	XL
803667	3XL



DeVilbiss® Dirt Control Floor Coat

- Significantly reduces buffing time caused by dirt in paint jobs
- Reduces airborne particles in a spray booth by trapping them to booth floor
- Can be used in concrete floor paint booths, ideal for shops spraying waterborne (not for use with painted concrete, tile, or grated floors)
- Water-based, reduces VOC exposure
- Helps reduce static in paint booth, preventing paint contamination

Order No.	Description
803491	Dirt Control Floor Coat (5 gal.)
803492	2-gallon Pump Sprayer



DeVilbiss® Booth Wall Coat

- Protects paint booth surfaces from paint overspray
- Sprayable masking liquid
- Peels off easily

Order No.	Description
803668	Booth Wall Coat (1 gal.)



DeVilbiss® Clear Glass Coat

- Peelable glass surface coating

Order No.	Description
803669	Clear Glass Coat (1 quart)



Flame Retardant Booth Paper

Highly Absorbent

- Suitable for floor, wall and equipment cover while spraying

Size: 60" x 300'

Order No.	Model No.	Description
900116	29-865	Flame Retardant Booth Paper



DeVilbiss® Bumper Prep Pad

- Clean, abrade and degrease in one easy step
- Reduces steps in bumper prep process to increase efficiency
- Provides comprehensive abrasion for better adhesion

Order No.	Description
803557	All-In-One Bumper Prep Pad (1 per pkg.)



DeVilbiss® Paint Prep Wipes

- Virtually lint free
- Waterborne compatible
- 1/4 Fold format - ready to use
- Strong, absorbent non-woven materials
- 300/carton

Order No.	Model No.	Description
DC-101	803657	Paint Prep Wipes



DeWipe-Outs® Pre-Saturated Prep Wipe

- 11" x 17" each
- 50 wipes per pouch
- Reduces buffing
- "Static Killer" formula reduces static charge and static-related dirt



Order No.	Description	Application
803045	85% IPA/15%DI Water	Most climates
803046	50% IPA/50%DI Water	Warmer/drier climates or heated spray booths
803418	Acetone blend, California exempt	VOC compliant California blend Must be used w/803048 storage case
803048	Storage case w/lid gasket and snap closure	

Scrubs® Hand Cleaner Towels

Order No.
192218
Bucket of 72 Scrubs

Pre-moistened, Heavy-Duty Towels Easily Remove Soil from Your Hands

- Portable and convenient
- Conditions and softens
- Use on tools, equipment and work surfaces.
- Works fast on dirt, oils, adhesives, lubricants, paints, grease, tar, urethanes, epoxies, inks and dyes, sealants and caulks.



SHIM-MASK® By DeVilbiss

Ideal for:

- Paint and clearcoat runs
- Imperfections
- Minimizing exposed area when sanding paint-filled chips or scrapes
- 3 per package

Order No.	Description
803654	Shim-Mask



Demo Kits

Order No.	Description
803853	Clean Kit Low VOC Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs Low VOC, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster
803854	Clean Kit Normal Climate Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs 85/15 blend, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster
803855	Clean Kit Dry Climate Includes: Bumper Prep Pad (2), Paint Prep Wipe Sample Pack, Cotton Tack Wipe (6), Poly Tack Wipe (6), DeWipe-Outs 50/50 blend, Storage case w/lid gasket & snap closure, Anti-Static Wipe (2), Large Disposable Coverall, XL Disposable Coverall, Medium Disposable Coverall, SHIM-Mask®, SOP Poster

TACK WIPE® By DeVilbiss

- Compatible with all paints
- Non-toxic
- Wax and silicone-free
- Engineered to leave no residue
- Use to remove dirt, dust and sanding particulates from surface

Order No.	Model No.	Description
803816	TCK-101-K12	Cotton Tack Wipe
803817	TCK-121-K12	Polyester Tack Wipe



DeVilbiss® Anti-Static Wiper

- Dry wiper reduces paint defects caused by static imbalance
- Neutral surface eliminates issues caused by dirt and airborne particles, allows for better metallic orientation and flow of clearcoats
- Use before sealer, base or clearcoats—no marring
- For both waterborne and solvents

Order No.	Description
803553	Anti-Static Wiper (1 per package)





DAGR® Airbrush



Gravity Airbrush (.35mm)

Excellent Control

- Hairline detail to high paint-flow shading and gradual fades
- Smooth double action trigger
- Pre-set handle for precise control of paint flow

Durable

- Solvent proof fluid passages
- Copper, nickel and chrome plated body

Value

- Crown cap standard for fine lines and needle protection
- Collector storage tin included
- Larger capacity cups

Order No.	Model No.	Description
802609	DGR-501G-35	DAGR® Gravity Airbrush
803125	DGR-603	DAGR® Studio (Gravity Airbrush, 2 ½ oz. Cups & 10 ft. Braided Hose)

DAGR® Studio

DGR-603



Everything the Automotive Artist needs to get started!

- DAGR airbrush with ½ oz. cup
- ½ fl. oz. (14cc) cup and lid – ideal for spraying larger areas without refilling
- 10 ft. braided nylon air hose

HGS Fluid Regulator

Regulates pressure from 2–50 PSI

Order No. Model No.
130090 HGS-5242

- 3/8" NPS (M) fluid inlet
- 3/8" NPS (F) swivel fluid outlet
- Regulates pressure from 2-50 PSI



- 3/8" NPS thread
- Keeps hose from dragging over work and prevents twisted lines

AF Filters™ Exhaust Air Filters

Order No. Model No.
928678 29-2186

High Holding Capacity for All Dry Spray Booths

Size: 3' x 30'
90 sq. ft. of surface area/8 pleats per foot




Average Removal Efficiency: 98.1%

Gravity Spray Gun Holders

Gravity Gun Holders

Order No.	Description
192219	Wall Mount Gun Holder Protective coating prevents scratches on gravity cups
803616	Multi Spray Gun Holder



Fluid Strainers

Order No.	Model No.	Application	Description	Max. Working Pressure
190181	KGP-5-K5	Gravity Cup	Fluid Strainer	N/A
240129	PLH-MF-6-100	Pressure Gun	Fluid Strainer	250 PSI
180073	VS-532	Pressure Gun	Fluid Strainer	300 PSI
191925	VS-58-K10	Replacement screen for VS-532	Screen-100 Mesh	N/A
240131	PLH-MFC-100	Replacement screen for PLH-MF-6-100	Screen-100 Mesh	N/A



Professional Spray Gun Cleaning Kit

Order No.
192212



DeKones Paint Strainers

Clean. Fast. Efficient.

Premium Paint Strainers

Patented Design

- No contamination – all gluing and imprinting done on outside
- No double meshed tip – eliminates unstrained paint passing through the tip
- Fast and strong

Nylon Strainers

- Lint free
- Consistent mesh sizes for optimum filtration



* Waterborne compatible when using a plastic or disposable cup system.

Order No.	Description
802351	Nylon – Fine, 190 micron, 100/box, (Order qty. 10)
802353	Nylon – Fine, 190 micron, 250/bag, 1000/case
802352	Nylon – Medium, 226 micron, 100/box, (Order qty. 10)
802852	Nylon – Superfine, 125 micron, 250/bag, 1000/case
803253	Nylon – Superfine, 125 micron, 100/ctn



Solvent Saver™ Hose & Gun Cleaner

A Real Time Saver

Cleans fluid hoses quickly without wasting solvent

Order No.	Model No.	Capacity
180037	HD-503	2 qt.



Gun Wrenches

Order No.	Model No.	Description
702740	702740	10mm and 14mm wrench, for use with TEKNA® spray guns
180008	WR-103	Contains all necessary sizes for use with all DeVilbiss guns and many other brands
900712	54-3918	For use with M1-G, M1-G Clear and Mach 1 HVLP spray guns
900431	5-476	For use with 2001 spray gun (not shown)
704429	704429	DV1 tool kit



E-Z Liners

Order No.	Model No.	Description
190966	OMX-70-K48	E-Z Liner Kit (48 liners & bushings)

Most Economical Disposable Paint Cup System Available

- Saves time with easy clean up and less mess
- Saves money by greatly reducing solvent use for clean up



CET

DISTRIBUTED BY COATING EQUIPMENT TECHNOLOGY, INC.
store.cetinc.com • (586) 210-0555

Gravity Spray Gun Cup Lids

Order No.	Model No.	Description
190944	GFC-404-K2	Disposable Lid Kit for GFC-502 and 702576 gravity cups (Kit of 2)
190225	GFC-402	Lid Assembly Kit for GFC-501 gravity cup



Paint Strainers

Order No.	Model No.	Description	Pkg. Qty.
901441	81-82	White Fine Mesh – 145 (100 Micron)	5
901442	81-83	Blue Medium Mesh – 100 (149 Micron)	5
901443	81-84	Red Coarse Mesh – 80 (177 Micron)	5



Spray Gun Lube

Order No.	Model No.	Description
181001	SSL-10	Spray Gun Lube

- Contains no silicone or petroleum distillates
- Compatible with all paint materials
- 2 oz. bottle



DeVilbiss® Automotive Refinishing

+1 800 445-3988 | askus@carlisleft.com | autorefinishdevilbiss.com

DEVILBISS.
AUTOMOTIVE REFINISHING